

D3. Small Commercial & Industrial Service - Rules**CgXM**1. POWER SUPPLY COST RECOVERY CLAUSE

See Schedule PSCR.

2. PRIMARY DISCOUNT PROVISION

For customers with a recorded demand of 100 or more Kw for any three consecutive months within each 12-month period and where the customer's entire requirements are taken and metered at one point, the monthly bill for service will be subject to the following discounts:

a. For Metering of Service

- 1) Under 6,000 volts - None.*
- 2) 6,000 volts to 15,000 volts, inclusive - 1.00%.*
- 3) Over 15,000 volts - 1.75%.

b. For Delivery of Service

- 1) Under 6,000 volts - None.*
- 2) 6,000 volts to 15,000 volts, inclusive - \$.20/Kw of recorded demand.*
- 3) Over 15,000 Volts - \$.40/Kw of recorded demand.

* Customers receiving discounts and service between 2,000 and 6,000 volts at one or more locations as of 1-1-73, shall receive the 1.00% discount for primary metering and/or the \$.20/Kw discount for delivery of service at primary voltages at those locations.

The customer shall provide a support for the company to terminate the primary conductors and install other required equipment. Customer-owned substation equipment shall be operated and maintained by the customer. The support and substation equipment is subject to the company's inspection and approval.

The above listed voltages are phase-to-ground for wye-connected company systems and phase-to-phase for delta-connected company systems.

Continued to Sheet No. D-19.00

Issued: 02-19-08
By J F Schott
VP Regulatory Affairs
Green Bay, Wisconsin

Effective for Service
On and After: 10-10-07
Issued Under Auth. of
Mich Public Serv Comm
Dated: 10-09-07
In Case No: U-15152

D3. Small Commercial & Industrial Service - Rules**CgXM**

Continued from Sheet No. D-18.00

3. SHORT TERM AND TEMPORARY SERVICE

Short term and temporary service is available to customers requiring service for less than annual periods.

- a. 1) For holiday/decorative lighting see MsXM.
2) For special events see RIIIM, Temporary Service.
3) For construction see RIIIM, Temporary Service.
- b. Standard proration rules shall apply to the initial and final billing periods.
- c. At the expiration of any month, the customer may cancel his contract for service under these provisions and may contract for one year or more under the standard rate applicable to this service.

4. ANNUAL MINIMUM CHARGE

An annual minimum charge equal to 12% of the investment in facilities used exclusively to serve the customer shall be required.

5. SEASONAL BILLING

- a. Service shall be billed for six months. Billing cycles for the business months of May through October shall apply for facilities normally utilized during summer months and November through April for facilities normally utilized during winter months. Customers in billing groups 1 through 4 during the May 1986, business month shall pay one-half the seasonal customer charge.
- b. Service may remain connected during the off season, and incidental use during such period will be included with the first billing of the following season; but if substantial use is recorded in any off-season month, such use may be billed on a monthly basis with no customer or minimum charges.

6. SPACE HEATING

- a. Only company-approved space heating equipment is permitted under these schedules.
- b. Permanently installed electric space heating equipment (except 120 volt units individually rated at 1,650 watts or less) shall be designed to operate at a voltage in excess of 200 volts.

Continued to Sheet No. D-20.00

Issued: 02-19-08
By J F Schott
VP Regulatory Affairs
Green Bay, Wisconsin

Effective for Service
On and After: 10-10-07
Issued Under Auth. of
Mich Public Serv Comm
Dated: 10-09-07
In Case No: U-15152

D3. Small Commercial & Industrial Service - Rules**CgXM**

Continued from Sheet No. D-19.00

- c. Electric space heating equipment in each room or zone shall be controlled by one or more thermostats located within the room or zone. Unless written authorization is received from the company, each thermostat shall not control more than 6,000 watts.
- d. Electric heating systems shall be of a type and application approved by the company, and the installation shall comply with the electric service rules of the company.

7. WATER HEATING

- a. Unless written exception is received from the company, the water heater shall be equipped with a thermostatically operated noninductive heating element(s) with a rating of not more than 5,500 watts designed to operate at a voltage in excess of 200 volts (except 120 volt units individually rated at 1,650 watts or less.)
- b. A dual element water heater with a total wattage (top plus bottom element wattage) exceeding 5,500 watts shall have the elements so connected or interlocked that not more than one element is operable at any one time.
- c. The water heating requirements for any one premise may be supplied from more than one water heater provided that each meets the above specifications.

8. STANDBY SERVICE

Where service is made available to loads which can be served by a source of power other than the company's (excluding emergency standby maintained in the event of failure of company's supply), billing shall be at the above rate, but the monthly minimum demand charge for standby service shall be not less than \$1.50 per Kw of contracted demand (subject to primary discounts).

If the highest demand in any month exceeds the contract demand, the minimum demand charge shall thereafter be based on the highest actual demand. The company may install suitable devices to limit the actual demand to the contract demand and may limit size of standby load to be served under this rate to the available system capacity at the customer's location.

Issued: 02-19-08
By J F Schott
VP Regulatory Affairs
Green Bay, Wisconsin

Effective for Service
On and After: 10-10-07
Issued Under Auth. of
Mich Public Serv Comm
Dated: 10-09-07
In Case No: U-15152