

<b>D7. Outdoor Overhead Lighting Service</b>			<b>Gy-1M</b>
<u>EFFECTIVE IN</u>		All territory served.	
<u>AVAILABILITY</u>			
This schedule is available to all classes of customers who can be served from existing 120 volt service.			
<u>MONTHLY RATE</u>	<u>Sodium Vapor</u>		<u>Rate Per Lamp</u>
	<u>Lumens</u>	<u>Watts</u>	
	9,000	100	\$ 9.12
	14,000	150	\$10.19
	27,000	250	\$12.50
	45,000	400	\$17.53
<u>SPECIAL TERMS AND CONDITIONS</u>			
1. The company will own and install the luminaire, complete with lamp, control device, and six-foot mast arm, mounted on an existing company pole. All equipment and installations shall be in accordance with the company's standards and may be removed in case service is discontinued.			
	<u>Type of Facility</u>	<u>Monthly Charge</u>	
	Additional Wood Pole	\$2.40 / pole	
	Span of Conductor	\$1.08 / span	
	Mast Arm excess of 6 feet	\$0.11 / foot	
2. The company will replace burned-out lamps and otherwise maintain the equipment within 72 hours after being notified by the customer, provided such service can be performed during regular daytime working hours. No credit will be allowed for outages.			
3. All lights will be turned on at approximately fifteen minutes after sunset and off at approximately thirty minutes before sunrise. No ornamental, seasonal, or part-night service will be offered.			
4. Upon request and at the expense of the customer, the company will relocate or change the position of any lamp.			
5. Individual locations with vandalism records will be reported to the customer and the customer is given the option of:			
	a.	Continuing service with the provision that future replacements due to continued vandalism at that location will be at the customer's expense,	
	b.	Continuing service but at a different location, or	
	c.	Discontinuing service at that location.	
Continued to Sheet No. D-73.00			

**D7. Outdoor Overhead Lighting Service**

**Gy-1M**

Continued from Sheet No. D-72.00

TEMPORARY DISCONNECTION

Upon request of the customer, the company will temporarily disconnect service to any fixture. Upon reconnection, the customer shall be subject to a reconnection charge as specified in the company's filed rules. While service is disconnected, the charges of this rate shall be reduced by the following amounts:

<u>Sodium Vapor</u>		<u>Monthly Credit</u>
<u>Lumens</u>	<u>Watts</u>	
9,000	100	1.22
14,000	150	1.82
27,000	250	3.11
45,000	400	4.94

TERM OF CONTRACT

Minimum period of three years.

N

ENERGY OPTIMIZATION

See Schedule EO starting on Sheet D-100.00

Issued: 6-24-09  
 By J F Schott  
 VP Regulatory Affairs  
 Green Bay, Wisconsin

Effective for Service  
 On and After: 7-1-09  
 Issued Under Auth. of  
 Mich Public Serv Comm  
 Dated: 5-26-09  
 In Case No: U-15811