

**D7. Outdoor Overhead Lighting Service**

**Gy-3M**

EFFECTIVE IN All territory served.

AVAILABILITY

This schedule is available to all classes of customers who can be served from existing 120 volt service.

<u>MONTHLY RATE</u>	<u>Sodium Vapor</u>		<u>Rate Per Lamp</u>
	<u>Area Lighting</u>		
	<u>Lumens</u>	<u>Watts</u>	
	9,000	100	\$8.04
	14,000	150	\$10.68
	<u>Directional</u>		
	<u>Lumens</u>	<u>Watts</u>	
	27,000	250	\$16.39
	45,000	400	\$19.60
	<u>Metal Halide</u>		
	<u>Directional</u>		
	<u>Lumens</u>	<u>Watts</u>	
	36,000	400	\$19.60
	110,000	1,000	\$35.51

SPECIAL TERMS AND CONDITIONS

1. The company will own and install the luminaire, complete with lamp, mounting bracket, or 30-inch mast arm, and control device, mounted on an existing company pole. All equipment and installations shall be in accordance with the company's standards and may be removed in case service is discontinued.

<u>Type of Facility</u>	<u>Monthly Charge</u>
Additional Wood Pole	\$2.40 / pole
Span of Conductor	\$1.08 / span
Mast Arm excess of 6 feet	\$0.11 / foot

2. The company will replace burned-out lamps and otherwise maintain the equipment within 72 hours after being notified by the customer, provided such service can be performed during regular daytime working hours. No credit will be allowed for outages.
3. All lights will be turned on at approximately fifteen minutes after sunset and off at approximately thirty minutes before sunrise. No ornamental, seasonal, or part-night service will be offered.
4. Upon request and at the expense of the customer, the company will relocate or change the position of any lamp.

Continued to Sheet No. D-75.00

Issued: 02-19-08  
By J F Schott  
VP Regulatory Affairs  
Green Bay, Wisconsin

Effective for Service  
On and After: 10-10-07  
Issued Under Auth. of  
Mich Public Serv Comm  
Dated: 10-09-07  
In Case No: U-15152

**D7. Outdoor Overhead Lighting Service**

**Gy-3M**

Continued from Sheet No. D-74.00

- 5. Individual locations with vandalism records will be reported to the customer and the customer is given the option of:
  - a. Continuing service with the provision that future replacements due to continued vandalism at that location will be at the customer's expense,
  - b. Continuing service but at a different location, or
  - c. Discontinuing service at that location.

TEMPORARY DISCONNECTION

Upon request of the customer, the company will temporarily disconnect service to any fixture. Upon reconnection, the customer shall be subject to a reconnection charge as specified in the company's filed rules. While service is disconnected, the charges of this rate shall be reduced by the following amounts:

<u>Sodium Vapor</u>		<u>Monthly Credit</u>
<u>Lumens</u>	<u>Watts</u>	
9,000	100	1.22
14,000	150	1.82
27,000	250	3.11
45,000	400	4.94
<u>Metal Halide</u>		
<u>Lumens</u>	<u>Watts</u>	
36,000	400	4.94
110,000	1,000	10.04

TERM OF CONTRACT

Minimum period of three years.

N

ENERGY OPTIMIZATION                      See Schedule EO starting on Sheet D-100.00

Issued: 6-24-09  
By J F Schott  
VP Regulatory Affairs  
Green Bay, Wisconsin

Effective for Service  
On and After: 7-1-09  
Issued Under Auth. of  
Mich Public Serv Comm  
Dated: 5-26-09  
In Case No: U-15811